GENERAL NOTES:

1. ALL PAVEMENT STRIPING AND MARKINGS SHALL COMPLY TO TOWN OF BOWDOINHAM STANDARDS.
2. ANY ASPHALT TO BE REMOVED SHALL BE STRIPPED AND PROPERLY DISPOSED OF OFFSITE.
3. ALL RAMPS TO CONFORM TO ADA GUIDELINES. SLOPE SHALL NOT EXCEED 1 INCH PER FOOT.
4. FOLLOWING COMPLETION OF CONSTRUCTION, THE OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND MANAGEMENT OF DRIVEWAYS, SITE LIGHTING, TRASH REMOVAL AND SNOW REMOVAL.
5. REFER TO CONCEPT SITE PLAN - 1 (C-10) FOR PROPOSED CONDITIONS.

PLAN REFERENCES:

1. EXISTING SITE, UTILITY AND TOPOGRAPHIC DATA PER THE FOLLOWING PLAN SHEETS FROM THE PLAN SET TITLED "WATERFRONT PARK IMPROVEMENTS PHASE 2 - CONTRACT NO.1 SHORELINE STABILIZATION" PREPARED BY PINE TREE ENGINEERING FOR TOWN OF BOWDOINHAM DATED APRIL 10TH 2024:
   - 1.1. EXISTING CONDITIONS PLAN
   - 1.2. PROPOSED SITE PLAN (AS-BUILT)
   - 1.3. PROPOSED UTILITY PLAN (AS-BUILT)
   - 1.4. PROPOSED GRADING AND DRAINAGE PLAN (AS-BUILT)

EX. PARKING AREA
24 SPACES

EX. 2" FM TO REMAIN UNDISTURBED, TYP.

EX. 2" HDPE CTS WATER SERVICE TO BE REROUTED, TYP.

EX. BUILDING TO BE DEMOLISHED

EX. SEPTIC TANK TO BE REMOVED

EX. OVERHEAD ELECTRIC AND TELECOM SERVICE TO BE REMOVED

EX. 1-1/2" PVC PIPE TO BE REMOVED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. 3/4" DOMESTIC WATER SERVICE TO BE REMOVED AND RETIRED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. WATER SHUT-OFF VALVE TO REMAIN

EX. 6" WATER SERVICE TO REMAIN

EX. UTILITY POLE AND POLE MOUNT TRANSFORMER TO REMAIN

RIVER ROAD (ROUTE 24)

10' 0' 10 20'
SCALE: 1" = 10'

DRAFT
NOT ISSUED FOR CONSTRUCTION

ISSUED FOR | BY | DATE
DRAFT | PFH | 12/15/25

DRAWING NAME: DEMOLITION PLAN - 1
PROJECT NAME: RIVERVIEW HOUSE REDEVELOPMENT
CLIENT: TOWN OF BOWDOINHAM
13 SCHOOL STREET, BOWDOINHAM, MAINE 04008

ACORN ENGINEERING, INC.
ACORN ENGINEERING, INC.
PO BOX 3372, PORTLAND MAINE 04104
(207) 775-2655

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. ANY ALTERATIONS, AUTHORIZED OR UNAUTHORIZED, SHALL BE AT USER'S SOLE RISK AND WITHOUT LIABILITY TO ACORN ENGINEERING, INC.

FILE:	1320_CIVIL
JN:	1320
SCALE:	AS NOTED
DESIGNED BY:	ZMS
DRAWN BY:	DSH
CHECKED BY:	PFH

DRAWING NO.
C-03

GENERAL NOTES:

1. ALL PAVEMENT STRIPING AND MARKINGS SHALL COMPLY TO TOWN OF BOWDOINHAM STANDARDS.
2. ANY ASPHALT TO BE REMOVED SHALL BE STRIPPED AND PROPERLY DISPOSED OF OFFSITE.
3. ALL RAMPS TO CONFORM TO ADA GUIDELINES. SLOPE SHALL NOT EXCEED 1 INCH PER FOOT.
4. FOLLOWING COMPLETION OF CONSTRUCTION, THE OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND MANAGEMENT OF DRIVEWAYS, SITE LIGHTING, TRASH REMOVAL AND SNOW REMOVAL
5. REFER TO DEMOLITION PLAN - 1 (C-03) FOR PROPOSED REMOVALS.

PLAN REFERENCES:

1. EXISTING SITE, UTILITY AND TOPOGRAPHIC DATA PER THE FOLLOWING PLAN SHEETS FROM THE PLAN SET TITLED "WATERFRONT PARK IMPROVEMENTS PHASE 2 - CONTRACT NO.1 SHORELINE STABILIZATION" PREPARED BY PINE TREE ENGINEERING FOR TOWN OF BOWDOINHAM DATED APRIL 10TH 2024:
   - 1.1. EXISTING CONDITIONS PLAN
   - 1.2. PROPOSED SITE PLAN (AS-BUILT)
   - 1.3. PROPOSED UTILITY PLAN (AS-BUILT)
   - 1.4. PROPOSED GRADING AND DRAINAGE PLAN (AS-BUILT)

EX. PARKING AREA
24 SPACES

EX. STRIPING, TYP.

EX. PULL BOX

EX. RECLAIM PATHWAY, TYP.

10.00' SIDE SETBACK

EX. LIGHT POLE, TYP. (OF 2)

EX. PAVEMENT, TYP.

RIVER ROAD (ROUTE 24)

20.00'
FRONT
SETBACK

EX. PROPERTY LINE, TYP.

BUILDING SETBACK, TYP.

ALL DISTURBED AREAS TO BE REVEGETATED. MIN 4" LOAM & SEED, TYP.

75' NRPA RESOURCE SETBACK, TYP.

CURRENT BASE FLOOD ELEVATION: 8'

PR. 2" WATER SERVICE EXTENSION TO MAIN, TYP.

PR. 6"X2" REDUCER

LIMITS OF EX. WETLAND, TYP

EX. UTILITY POLE AND POLE MOUNT TRANSFORMER TO REMAIN

EX. 8" WATER MAIN, TYP.

EX. VEGETATED WALL SHORELINE TREATMENT, TYP.

EX. TREE ROOT WAD SHORELINE TREATMENT, TYP.

EX. STONE ARMORED SHORELINE TREATMENT, TYP.

MEAN HIGH WATER ELEVATION: 1.5'

HIGHEST ANNUAL TIDE ELEVATION: 2.9'

EX. MEAN LOW WATER ELEVATION: -4.3'

CATHANCE RIVER

10' 0' 10 20'

SCALE: 1" = 10'

DRAFT
NOT ISSUED FOR CONSTRUCTION

ISSUED FOR	BY	DATE
DRAFT	PFH	12/15/25

DRAWING NAME: CONCEPT SITE PLAN – 1

PROJECT NAME: RIVERVIEW HOUSE REDEVELOPMENT

CLIENT: TOWN OF BOWDOINHAM
13 SCHOOL STREET, BOWDOINHAM, MAINE 04008

ACORN ENGINEERING, INC.

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. ANY ALTERATIONS, AUTHORIZED OR UNAUTHORIZED, SHALL BE AT USERS SOLE RISK AND WITHOUT LIABILITY TO ACORN ENGINEERING, INC.

ACORN ENGINEERING, INC.
PO BOX 3372, PORTLAND MAINE 04104
(207) 775-2655

FILE:	1320_CIVIL
JN:	1320
SCALE:	AS NOTED
DESIGNED BY:	ZMS
DRAWN BY:	DSH
CHECKED BY:	PFH

DRAWING NO.
C-10

GENERAL NOTES:

1. ALL PAVEMENT STRIPING AND MARKINGS SHALL COMPLY TO TOWN OF BOWDOINHAM STANDARDS.
2. ANY ASPHALT TO BE REMOVED SHALL BE STRIPPED AND PROPERLY DISPOSED OF OFFSITE.
3. ALL RAMPS TO CONFORM TO ADA GUIDELINES. SLOPE SHALL NOT EXCEED 1 INCH PER FOOT.
4. FOLLOWING COMPLETION OF CONSTRUCTION, THE OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND MANAGEMENT OF DRIVEWAYS, SITE LIGHTING, TRASH REMOVAL AND SNOW REMOVAL.
5. REFER TO CONCEPT SITE PLAN - 2 (C-11) FOR PROPOSED CONDITIONS.

PLAN REFERENCES:

1. EXISTING SITE, UTILITY AND TOPOGRAPHIC DATA PER THE FOLLOWING PLAN SHEETS FROM THE PLAN SET TITLED "WATERFRONT PARK IMPROVEMENTS PHASE 2 - CONTRACT NO.1 SHORELINE STABILIZATION" PREPARED BY PINE TREE ENGINEERING FOR TOWN OF BOWDOINHAM DATED APRIL 10TH 2024:
   - 1.1. EXISTING CONDITIONS PLAN
   - 1.2. PROPOSED SITE PLAN (AS-BUILT)
   - 1.3. PROPOSED UTILITY PLAN (AS-BUILT)
   - 1.4. PROPOSED GRADING AND DRAINAGE PLAN (AS-BUILT)

EX. PARKING AREA
24 SPACES

EX. 2" FM TO REMAIN UNDISTURBED, TYP.

EX. 2" HDPE CTS WATER SERVICE TO BE REROUTED, TYP.

EX. BUILDING TO BE DEMOLISHED

EX. SEPTIC TANK TO BE REMOVED

EX. OVERHEAD ELECTRIC AND TELECOM SERVICE TO BE CONNECTED TO RENOVATED BUILDING

EX. 1-1/2" PVC PIPE TO BE REMOVED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. 3/4" DOMESTIC WATER SERVICE TO BE REMOVED AND RETIRED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. WATER SHUT-OFF VALVE TO BE REMOVED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. 6" WATER SERVICE TO BE REMOVED AND RETIRED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. UTILITY POLE AND POLE MOUNT TRANSFORMER TO REMAIN

RIVER ROAD (ROUTE 24)

SCALE: 1" = 10'

DRAFT
NOT ISSUED FOR CONSTRUCTION

ISSUED FOR	BY	DATE
DRAFT	PFH	12/15/25

DRAWING NAME: DEMOLITION PLAN – 2

PROJECT NAME: RIVERVIEW HOUSE REDEVELOPMENT

CLIENT: TOWN OF BOWDOINHAM
13 SCHOOL STREET, BOWDOINHAM, MAINE 04008

ACORN ENGINEERING, INC.
PO BOX 3372, PORTLAND MAINE 04104
(207) 775-2655

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. ANY ALTERATIONS, AUTHORIZED OR UNAUTHORIZED, ARE AT USER'S SOLE RISK AND WITHOUT LIABILITY TO ACORN ENGINEERING, INC.

FILE:	1320_CIVIL
JN:	1320
SCALE:	AS NOTED
DESIGNED BY:	ZMS
DRAWN BY:	DSH
CHECKED BY:	PFH

DRAWING NO.
C-04

GENERAL NOTES:

1. ALL PAVEMENT STRIPING AND MARKINGS SHALL COMPLY TO TOWN OF BOWDOINHAM STANDARDS.
2. ANY ASPHALT TO BE REMOVED SHALL BE STRIPPED AND PROPERLY DISPOSED OF OFFSITE.
3. ALL RAMPS TO CONFORM TO ADA GUIDELINES. SLOPE SHALL NOT EXCEED 1 INCH PER FOOT.
4. FOLLOWING COMPLETION OF CONSTRUCTION, THE OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND MANAGEMENT OF DRIVEWAYS, SITE LIGHTING, TRASH REMOVAL AND SNOW REMOVAL.
5. REFER TO DEMOLITION PLAN - 2 (C-04) FOR PROPOSED REMOVALS.

PLAN REFERENCES:

1. EXISTING SITE, UTILITY AND TOPOGRAPHIC DATA PER THE FOLLOWING PLAN SHEETS FROM THE PLAN SET TITLED "WATERFRONT PARK IMPROVEMENTS PHASE 2 - CONTRACT NO.1 SHORELINE STABILIZATION" PREPARED BY PINE TREE ENGINEERING FOR TOWN OF BOWDOINHAM DATED APRIL 10TH 2024:
   - 1.1. EXISTING CONDITIONS PLAN
   - 1.2. PROPOSED SITE PLAN (AS-BUILT)
   - 1.3. PROPOSED UTILITY PLAN (AS-BUILT)
   - 1.4. PROPOSED GRADING AND DRAINAGE PLAN (AS-BUILT)

EX. PARKING AREA
24 SPACES

EX. STRIPING, TYP.

EX. PULL BOX

EX. RECLAIM PATHWAY, TYP.

EX. LIGHT POLE, TYP. (OF 2)

10.00' SIDE SETBACK

EX. PAVEMENT, TYP.

PR. 4' WIDE PAVED WALKWAY, TYP.

PR. 750 GALLON PRETREATMENT TANK

PR. PUMP STATION

CONNECT PR. 2" FM TO EX. FM

PR. 6" DOMESTIC SEWER SERVICE

PR. ADA RAMP
L: 6.0'
S: 5.0%

EX. FM TO REMAIN UNDISTURBED, TYP.

PR. 3' WIDE CRUSHED STONE DRIP EDGE WITH UNDERDRAIN TYP.

EXISTING BUILDING TO BE RENOVATED
FFE: 11.70'

DECK

75' NRPA RESOURCE SETBACK, TYP.

CURRENT BASE FLOOD ELEVATION: 8'

20.00' FRONT SETBACK

EX. PROPERTY LINE, TYP.

BUILDING SETBACK, TYP.

EX. OVERHEAD ELECTRIC AND TELECOM SERVICE TO BE CONNECTED TO RENOVATED BUILDING

EX. UTILITY POLE TO AND POLE MOUNT TRANSFORMER TO REMAIN, COORDINATE WITH CMP

INSTALL RIPRAP APRON AT UNDERDRAIN OUTLET
INV: ±7.5'

LIMITS OF EX. WETLAND, TYP

EX. VEGETATED WALL SHORELINE TREATMENT, TYP.

EX. TREE ROOT WAD SHORELINE TREATMENT, TYP.

EX. STONE ARMORED SHORELINE TREATMENT, TYP.

MEAN HIGH WATER ELEVATION: 1.5'

HIGHEST ANNUAL TIDE ELEVATION: 2.9'

EX. MEAN LOW WATER ELEVATION: -4.3'

CATHANCE RIVER

PR. UGE SERVICE, TYP.

PR. 2" WATER SERVICE EXTENSION TO MAIN, TYP.

POTENTIAL SHUT OFF VALVE LOCATION

PR. 1" DOMESTIC WATER SERVICE, TYP.

PR. 4" FIRE SUPPRESSION SERVICE, TYP.

EX. UTILITY POLE TO REMAIN, TYP. DROP NEW UGE FROM POLE

PR. 2" SERVICE SADDLE

PR. 1" SERVICE SADDLE

PR. 4" TAPPING SLEEVE AND 4" GATE VALVE

EX. 8" WATER MAIN, TYP.

RIVER ROAD (ROUTE 24)

10' 0' 10 20'

SCALE: 1" = 10'

DRAFT
NOT ISSUED FOR CONSTRUCTION

ISSUED FOR	BY DATE
DRAFT	PFH 12/15/25

DRAWING NAME: SITE, UTILITY & GRADING PLAN – 2

PROJECT NAME: **RIVERVIEW HOUSE REDEVELOPMENT**

CLIENT: TOWN OF BOWDOINHAM
13 SCHOOL STREET, BOWDOINHAM, MAINE 04008

ACORN ENGINEERING, INC.

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. ANY ALTERATIONS, CHANGES OR USE OF THIS PLAN WITHOUT LIABILITY TO ACORN ENGINEERING, INC.

ACORN ENGINEERING, INC.
PO BOX 3372, PORTLAND MAINE 04104
(207) 775-2655

FILE:	1320_CIVIL
JN:	1320
SCALE:	AS NOTED
DESIGNED BY:	ZMS
DRAWN BY:	DSH
CHECKED BY:	PFH

DRAWING NO.
C-11

GENERAL NOTES:

1. ALL PAVEMENT STRIPING AND MARKINGS SHALL COMPLY TO TOWN OF BOWDOINHAM STANDARDS.
2. ANY ASPHALT TO BE REMOVED SHALL BE STRIPPED AND PROPERLY DISPOSED OF OFFSITE.
3. ALL RAMPS TO CONFORM TO ADA GUIDELINES. SLOPE SHALL NOT EXCEED 1 INCH PER FOOT.
4. FOLLOWING COMPLETION OF CONSTRUCTION, THE OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND MANAGEMENT OF DRIVEWAYS, SITE LIGHTING, TRASH REMOVAL AND SNOW REMOVAL.
5. REFER TO CONCEPT SITE PLAN - 3 (C-12) FOR PROPOSED CONDITIONS.

PLAN REFERENCES:

1. EXISTING SITE, UTILITY AND TOPOGRAPHIC DATA PER THE FOLLOWING PLAN SHEETS FROM THE PLAN SET TITLED "WATERFRONT PARK IMPROVEMENTS PHASE 2 - CONTRACT NO.1 SHORELINE STABILIZATION" PREPARED BY PINE TREE ENGINEERING FOR TOWN OF BOWDOINHAM DATED APRIL 10TH 2024:
   - 1.1. EXISTING CONDITIONS PLAN
   - 1.2. PROPOSED SITE PLAN (AS-BUILT)
   - 1.3. PROPOSED UTILITY PLAN (AS-BUILT)
   - 1.4. PROPOSED GRADING AND DRAINAGE PLAN (AS-BUILT)

EX. PARKING AREA
24 SPACES

EX. 2" FM TO BE REROUTED, TYP.

EX. 2" HDPE CTS WATER SERVICE TO BE REROUTED, TYP.

EX. BUILDING TO BE DEMOLISHED

EX. SEPTIC TANK TO BE REMOVED

EX. OVERHEAD ELECTRIC AND TELECOM SERVICE TO BE REMOVED

EX. 1-1/2" PVC PIPE TO BE REMOVED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. 3/4" DOMESTIC WATER SERVICE TO BE REMOVED AND RETIRED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. WATER SHUT-OFF VALVE TO BE REMOVED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. 6" WATER SERVICE TO BE REMOVED AND RETIRED PER BOWDOINHAM WATER DISTRICT STANDARDS

EX. UTILITY POLE AND POLE MOUNT TRANSFORMER TO REMAIN

RIVER ROAD (ROUTE 24)

10' 0' 10 20'

SCALE: 1" = 10'

DRAFT
NOT ISSUED FOR CONSTRUCTION

ISSUED FOR	BY	DATE
DRAFT	PFH	12/15/25

DRAWING NAME: DEMOLITION PLAN – 3

PROJECT NAME: RIVERVIEW HOUSE REDEVELOPMENT

CLIENT: TOWN OF BOWDOINHAM
13 SCHOOL STREET, BOWDOINHAM, MAINE 04008

ACORN ENGINEERING, INC.
PO BOX 3372, PORTLAND MAINE 04104
(207) 775-2655

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. ANY ALTERATIONS, AUTHORIZED OR UNAUTHORIZED, ARE AT USER'S SOLE RISK AND WITHOUT LIABILITY TO ACORN ENGINEERING, INC.

FILE:	1320_CIVIL
JN:	1320
SCALE:	AS NOTED
DESIGNED BY:	ZMS
DRAWN BY:	DSH
CHECKED BY:	PFH

DRAWING NO.
C-05

GENERAL NOTES:

1. ALL PAVEMENT STRIPING AND MARKINGS SHALL COMPLY TO TOWN OF BOWDOINHAM STANDARDS.
2. ANY ASPHALT TO BE REMOVED SHALL BE STRIPPED AND PROPERLY DISPOSED OF OFFSITE.
3. ALL RAMPS TO CONFORM TO ADA GUIDELINES. SLOPE SHALL NOT EXCEED 1 INCH PER FOOT.
4. FOLLOWING COMPLETION OF CONSTRUCTION, THE OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND MANAGEMENT OF DRIVEWAYS, SITE LIGHTING, TRASH REMOVAL AND SNOW REMOVAL.
5. REFER TO DEMOLITION PLAN - 3 (C-05) FOR PROPOSED REMOVALS.

PLAN REFERENCES:

1. EXISTING SITE, UTILITY AND TOPOGRAPHIC DATA PER THE FOLLOWING PLAN SHEETS FROM THE PLAN SET TITLED "WATERFRONT PARK IMPROVEMENTS PHASE 2 - CONTRACT NO.1 SHORELINE STABILIZATION" PREPARED BY PINE TREE ENGINEERING FOR TOWN OF BOWDOINHAM DATED APRIL 10TH 2024:
   - 1.1. EXISTING CONDITIONS PLAN
   - 1.2. PROPOSED SITE PLAN (AS-BUILT)
   - 1.3. PROPOSED UTILITY PLAN (AS-BUILT)
   - 1.4. PROPOSED GRADING AND DRAINAGE PLAN (AS-BUILT)

EX. PARKING AREA
24 SPACES

EX. STRIPING, TYP.

PR. 4' WIDE PAVED WALKWAY, TYP.

PR. ADA RAMP
L: 8.0'
S: 5.0%

EX. PULL BOX

(6) 6" RISERS
TS: 11.25'
BS: 8.25'

DECK

PROPOSED BUILDING FOOTPRINT
FFE: 11.25'

EX. RECLAIM PATHWAY, TYP.

EX. LIGHT POLE, TYP. (OF 2)

PR. 3' WIDE CRUSHED STONE DRIP EDGE WITH UNDERDRAIN TYP.

PR. 6" DOMESTIC SEWER SERVICE

10.00' SIDE SETBACK

EX. PAVEMENT, TYP.

75' NRPA RESOURCE SETBACK, TYP.

CURRENT BASE FLOOD ELEVATION: 8'

INSTALL RIPRAP APRON AT UNDERDRAIN OUTLET
INV: ±7.5'

CONNECT PR. 2" FM TO EX. FM

EX. 2" HDPE CTS WATER SERVICE TO BE REROUTED, TYP.

PR. 2" FM RELOCATION, TYP.

PR. 750 GALLON PRETREATMENT TANK

PR. PUMP STATION

20.00' FRONT SETBACK

EX. PROPERTY LINE, TYP.

BUILDING SETBACK, TYP.

PR. 4" FIRE SUPPRESSION WATER SERVICE, TYP.

PR. 1" DOMESTIC WATER SERVICE, TYP.

PR. 2" WATER SERVICE EXTENSION TO MAIN, TYP.

PR. 4" TAPPING SLEEVE AND GATE VALVE

PR. 1" SERVICE SADDLE

MIN. 3' SEPARATION BETWEEN SERVICE CONNECTIONS

PR. 2" SERVICE SADDLE

RIVER ROAD (ROUTE 24)

PR. UGE/T/C SERVICE, TYP.

EX. UTILITY POLE AND POLE MOUNT TRANSFORMER TO REMAIN, TYP. DROP NEW UNDERGROUND ELECTRIC AND TELECOM SERVICE FROM POLE. COORDINATE WITH CMP

EX. 8" WATER MAIN, TYP.

LIMITS OF EX. WETLAND, TYP

EX. VEGETATED WALL SHORELINE TREATMENT, TYP.

EX. TREE ROOT WAD SHORELINE TREATMENT, TYP.

EX. STONE ARMORED SHORELINE TREATMENT, TYP.

MEAN HIGH WATER ELEVATION: 1.5'

HIGHEST ANNUAL TIDE ELEVATION: 2.9'

EX. MEAN LOW WATER ELEVATION: -4.3'

CATHANCE RIVER

10' 0' 10 20'

SCALE: 1" = 10'

DRAFT
NOT ISSUED FOR CONSTRUCTION

ISSUED FOR	BY DATE
DRAFT	PFH 12/15/25

DRAWING NAME: SITE, UTILITY & GRADING PLAN – 3

PROJECT NAME: **RIVERVIEW HOUSE REDEVELOPMENT**

CLIENT: TOWN OF BOWDOINHAM
13 SCHOOL STREET, BOWDOINHAM, MAINE 04008

ACORN ENGINEERING, INC.

THIS PLAN, SHALL NOT BE ALTERED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. AND ANY ALTERATIONS, WITHOUT SUCH PERMISSION, IS AT USERS SOLE RISK AND WITHOUT LIABILITY TO ACORN ENGINEERING, INC.

ACORN ENGINEERING, INC.
PO BOX 3372, PORTLAND MAINE 04104
(207) 775-2655

FILE:	1320_CIVIL
JN:	1320
SCALE:	AS NOTED
DESIGNED BY:	ZMS
DRAWN BY:	DSH
CHECKED BY:	PFH

DRAWING NO.
C-12